



Find:

Documents

Citations

Searching for **PHRASE refresh request**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)

[Google \(Web\)](#) [CSB](#) [DBLP](#)

12 documents found. **Order: number of citations.**

[Lessons from Wall Street: case studies in configuration, tuning.. - Shasha \(1997\) \(Correct\) \(2 citations\)](#)
(used all too often) ffl Program clients to **request refresh** at certain intervals. ffl Have the server
cs.nyu.edu/faculty/shasha/papers/walltalk.ps

[Keeping a Very Large Website Up-to-date: Some Feasibility Results - Liu, Ng, Lim \(2000\) \(Correct\) \(1 citation\)](#)
length between two consecutively raised cell **refresh requests** while it is NP-Hard to determine loose
update event occurred on the base data, a cell **refresh request** is raised. When tight freshness is
pipe.cais.ntu.edu.sg:8000/~liuhf/pub/ecweb00.ps.gz

[Deferred Incremental Refresh of XML Materialized Views - Kang, Lim \(2002\) \(Correct\)](#)
Xml Materialized View Refresh Info Generate **Refresh Request** Send Dtd Dtd 2 Dtd N Xml Base Document
www.mm.di.uoa.gr/~rouvas/ssi/caise2002/23480742.pdf

[Query Integration for Refreshing Web Views - Liu, Ng, Lim \(2001\) \(Correct\)](#)
update event occurred on the base data, a view **refresh request** is raised. A **refresh request** is timely satis
base data, a view **refresh request** is raised. A **refresh request** is timely satis ed if a single execution of
pipe.cais.ntu.edu.sg:8000/~liuhf/pub/icde01.ps.gz

[Improving the Fairness of Timely Refresh of Web Views - Liu, Ng, Lim \(Correct\)](#)
queries in a timely manner such that all **refresh requests** can be satis ed. However, due to the various
update patterns on the base data, some **refresh requests** from the views may be missed. A Web view is
pipe.cais.ntu.edu.sg:8000/~liuhf/pub/dasfaa01.ps.gz

[Model and Research Issues for Refreshing A Very Large Website - Liu, Ng, Lim \(2000\) \(Correct\)](#)
change automatically unless a user initiates a **refresh request** explicitly. A **refresh request** is mostly
user initiates a **refresh request** explicitly. A **refresh request** is mostly initiated due to updates to the
pipe.cais.ntu.edu.sg:8000/~liuhf/pub/wise00.ps.gz

[Scheduling Queries to Improve the Freshness of A Website - Liu, Ng, Lim \(Correct\)](#)
change automatically unless a user initiates a **refresh request** explicitly. A **refresh request** is mostly
user initiates a **refresh request** explicitly. A **refresh request** is mostly initiated due to updates to the
pipe.cais.ntu.edu.sg:8000/~liuhf/pub/dake01.ps.gz

[On the Feasibility of Website Refresh Queries - Liu, Ng, Lim \(Correct\)](#)
"pull" mechanism where the web pages initiate **refresh requests** and pull information from appropriate
refresh manager in charge of initiating **refresh requests** and performing refresh queries, we implies
pipe.cais.ntu.edu.sg:8000/~liuhf/pub/dexa99.ps.gz

[Timely Refreshing Data-Intensive Websites - Haifeng Liu Wee-Keong \(Correct\)](#)
change automatically unless a user initiates a **refresh request** explicitly. A **refresh request** is mostly
user initiates a **refresh request** explicitly. A **refresh request** is mostly initiated due to updates to the
pipe.cais.ntu.edu.sg:8000/~liuhf/pub/is01.ps.gz

[Synchronization of Telemedicine Applications.. - Raffaele Noro.. \(Correct\)](#)
and so on. short -loop 1 Send the image **refresh request** (same image) navigation request (new image,
request (new image, ends loop 0) short -**refresh request** (same image) Fast transmission and display
sscwww.epfl.ch/Pages/publications/ps_files/tr97_019.ps

[Link Level Resource Management Protocol \(LLRMP\) - Kim \(1997\) \(Correct\)](#)
operation for reservation setup, reservation **refresh, request** modification and tear down P. Kim
ftp.botik.ru/pub/doc/internet-drafts/draft-kim-llrmp-01.ps.gz

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [CSB](#) [DBLP](#)

CiteSeer - Copyright [NEC](#) and [IST](#)